

Ennmach Industries



discover the
poly advantage

PRODUCT GUIDE 2009/2010

Contents

01	Introduction
02	Poly Karts
04	Spray Accessories
06	M-F Series Turf Rollers & Aerators
08	Letterboxes Miscellaneous Products
10	Water Storage Solutions
12	Mudguard Soap Dispenser Water Tanks Storage Boxes Diesel Tanks

POLY PRODUCT ADVANTAGES

Enmach Products are manufactured from the highest quality food grade polyethylene, conforming to Australian Standards. These products are strong, lightweight, UV resistant and exceptionally durable.

WARRANTY

All our products are guaranteed against faulty workmanship for a period of 12 months from date of purchase.

PRODUCT SPECIFICATIONS

All specifications are subject to change without notice in line with ongoing improvements.

SIZES

All sizes, measurements and capacities throughout this brochure are approximate due to the variable shrinkage nature of polyethylene during manufacture.

COLOUR

All colours shown are a guide only.

PLACING ORDERS

We have a base of approximately 600 distributors. Contact Enmach on Freecall 1800 502 267 for your nearest distributor.

FREIGHT DETAILS

Freight free to your distributor unless otherwise specified.

PRICING AND GST

All prices specified are recommended only and are subject to change without notice. All prices include GST.

DISCLAIMER

All recommendations in this catalogue are general in nature and are intended as a guide only. All customers must make their own investigations as to whether Enmach Products are suitable for specific needs.

making life easier

Introduction

Dear Customer

Welcome to our Poly Product Guide 2009/2010, updating and introducing new products to our high quality range.

Enmach products are all Australian made with Australian materials by an Australian owned company. Enmach products are manufactured from the highest quality materials resulting in products that are strong, lightweight, UV resistant and exceptionally durable to withstand the harsh nature of the Australian climate.

Enmach Industries has a research and development team that understands what you, the customer wants and is constantly designing new innovative products that will serve you for a longtime making everyday life easier.




Poly Karts



KART FEATURES

- Tipping features
- Strong rugged construction
- Moulded durable design
- Chassis - Galvanised Steel
- Rust resistant materials
- Superb stability
- Bin - high density polyethylene
- User friendly

COLOURS AVAILABLE



*Do Not Exceed Towing Vehicle Specifications * Do Not Carry Passengers On Trailers

MX2000 Maxi-Kart 20 CU/FT - QUAD BIKE - SMALL TRACTOR

PART No	MX2000
BIN SIZE	1.55m x 1.2m x .5m
BIN CAPACITY	20 CU/FT
TRAILER WEIGHT	57kg
CARRY WEIGHT	400kg Spread
WHEELS	20" x 7" x 8" ATV Tyre
SPEED RATING	High Speed Bearing (Not for Road Use)
TIPPING FEATURE	Tipping - No Tailgate
TOW SYSTEM	Standard - Double Clevis & Pin / Option - 50mm Ball Hitch
PRICE	



MK1000 Multi-Kart 10 CU/FT - RIDE ON MOWER - SMALL TRACTOR

PART No	MK1000
BIN SIZE	1.2m x .9m x .35m
BIN CAPACITY	10 CU/FT
TRAILER WEIGHT	36kg
CARRY WEIGHT	200kg Spread
WHEELS	15" x 6" x 6" / 4 Ply Turf Tyre
SPEED RATING	Low Speed Bearing - 12kph
TIPPING FEATURE	Tipping - With Tailgate
TOW SYSTEM	Double Clevis and Pin
PRICE	



EK700 Ezy-Kart 7 CU/FT - RIDE ON MOWER

PART No	EK700
BIN SIZE	1.2m x .9m x .3m
BIN CAPACITY	7 CU/FT
TRAILER WEIGHT	20kg
CARRY WEIGHT	150kg Spread
WHEELS	14" x 4" x 6" / 4 Ply Turf Tyre
SPEED RATING	Low Speed Bearing - 12kph
TIPPING FEATURE	Tipping - No Tailgate
TOW SYSTEM	Double Clevis and Pin
PRICE	





DK800 Duo-Kart

- DUAL PURPOSE KART
Converts from tow behind trailer to a push kart in one easy step
- Available in dark green only

PART No	DK800
BIN SIZE	1.1m x .9m x .35m
BIN CAPACITY	8 CU/FT
TRAILER WEIGHT	22kg
CARRY WEIGHT	175kg Spread
WHEELS	12" x 4" x 4" /TurfTyre
SPEED RATING	Low Speed Bearing 12kph
TIPPING FEATURE	Tipping - No Tailgate
TOW SYSTEM	Double Clevis and Pin and Wheel Barrow System
PRICE	325.00



TOW BEHIND STYLE

PUSH KART STYLE



HK300 Handi-Kart 3 CU/FT - HANDI-KART

- Handy garden kart
- 3CU/FT capacity
- Sturdy construction
- Galvanised frame
- Available in dark green only
- SIZE: 0.9m x 0.6m x 0.3m



PART NO	DESCRIPTION	RRP (INC GST)
HK300	HANDI-KART 3CU/FT	170.00



FEATURES

- **Tank:** UV Stabilised, Low Profile Tank For Stability And Good Visibility
- **Lid:** UV Stabilised, Locates Positively, 150mm Diameter
- **Drain:** An Easily Accessible Drain Plug Makes Cleaning, Flushing & Emptying Easy
- **Storage:** Lugs To Wrap Hose Around And For Lance Storage
- **Calibrations:** A Clear Indication Of The Liquid Volume Onhand Is Always Visible
- **Pump:** Delavan, 12 Volt, 3.8l/min, 60psi Pump
- **Hose:** 4m Of Quality 10mm Chemical Resistant Hose Is Fitted As Standard
- **Leads:** 4m Electrical Leads Are Fitted With An Inline Fuse And Battery Clips
- **Lance:** A Spray Lance Is Included Featuring An Adjustable Nozzle To Suit Varying Applications

MS200 Maxi-Spray

PART NO	DESCRIPTION	RRP (INC GST)
MS200	MAXI-SPRAY 200 LITRE SPRAY UNIT - COMPLETE TANK SIZE: 750mm (L) x 580mm (W) x 580mm (H)	660.00



MS100 Multi-Spray

PART NO	DESCRIPTION	RRP (INC GST)
MS100	MULTI-SPRAY 100 LITRE SPRAY UNIT - COMPLETE TANK SIZE: 600mm (L) x 520mm (W) x 450mm (H)	530.00



MS50 Multi-Spray

PART NO	DESCRIPTION	RRP (INC GST)
MS50	MULTI-SPRAY 50 LITRE SPRAY UNIT - COMPLETE TANK SIZE: 600mm (L) x 520mm (W) x 260mm (H)	410.00



MS15 Mini-Spray

PART NO	DESCRIPTION	RRP (INC GST)
MS15	MINI-SPRAY 15 LITRE SPRAY UNIT - COMPLETE DELAVAN, 12 VOLT, 3.8 l/min, 40 psi PUMP	335.00






DP2200 Delavan Pump

- 3.8 l/m open flow 270kPa (40psi) demand switch
- 3/8" hose barb inlet/outlet
- Self priming up to 1.2 metres
- 2 chamber positive displacement diaphragm pump, capable of being run dry
- Viton Valves
- Santoprene Diaphragm
- Spare parts available

PART NO	DESCRIPTION	RRP (INC GST)
DP2200		165.00

PSI	BAR	LPM	AMPS
0-3	0.2	3.7	1.5
10	0.7	3.2	1.9
20	1.4	2.7	2.1
30	2.1	2.3	2.4
40	2.8	1.5	2.6



DP7801 Delavan Pump

- 3.8 l/m open flow 400kPa (60psi) demand switch
- Quick attach 3/8" barb elbow
- Self priming up to 4 metres
- 3 chamber positive displacement diaphragm pump, capable of being run dry
- Viton Valves
- Santoprene Diaphragm

PART NO	DESCRIPTION	RRP (INC GST)
DP7801	3.8 l/m 400kPa (60psi) PUMP	235.00

PSI	LPM	AMPS
10	4.5	1.8
20	3.2	2.7
30	2.6	3.2
40	2.3	3.7
50	1.7	4.2
60	1.5	4.7



STAH10 Spray Hose

PART NO	DESCRIPTION	RRP (INC GST)
STAH10	10mm/580psi SPRAY HOSE (PER METRE)	8.00



RS25 Ratchet Strap

PART NO	DESCRIPTION	RRP (INC GST)
RS25	25mm RATCHET STRAP (TANKTIE DOWN)	20.00



QRB Spray Boom

PART NO	DESCRIPTION	RRP (INC GST)
QRB	QUICK RELEASE 2 METRE BOOM	182.00






M-F Series Turf Rollers & Aerator Kits

MFF Quik-Hitch Mount Kit

- "M-F" Quick-Hitch Mower / Quad Bike Kit
- Mounts simply to most lawn tractors, Ride-on Mowers and Quad Bikes
- Enables 30 second change over of "M-F" Series attachments

PART NO	DESCRIPTION	RRP (INC GST)
MFF	"M-F" QUIK-HITCH MOWER KIT	135.00
MKQF	"M-F" QUIK-HITCH QUAD BIKE KIT	135.00



EASY AS

1

2

3

MFMS15 Mini Sprayer

***NEEDS "M-F" QUIK-HITCH MOUNT KIT TO ENABLE MOUNTING**

- Tank: UV stabilised, low profile tank for stability and good visibility
- Lid: UV stabilised, locates positively, 150mm diameter
- Drain: An easily accessible drain plug makes cleaning, flushing & emptying easy
- Storage: Lugs to wrap hose around and for lance storage
- Calibrations: A clear indication of the liquid volume onhand is always visible
- Pump: Delavan, 12 volt, 3.8L/min, 40psi pump
- Hose: 4m of quality 10mm chemical resistant hose is fitted as standard
- Leads: 4m electrical leads are fitted with an inline fuse and battery clips
- Lance: A spray lance is included featuring an adjustable nozzle to suit varying applications

PART NO	DESCRIPTION	RRP (INC GST)
MFMS15	15L QUIK-HITCH MOUNT SPRAY UNIT	490.00






SSRF Sun Shade

*NEEDS "M-F" QUIK-HITCH MOUNT KIT TO ENABLE MOUNTING

- Mounts via "M-F" Series Quik-Hitch Frame
- Polyethylene roof
- Great shade for ride-on's

PART NO	DESCRIPTION	RRP (INC GST)
MFSS	SMALL POLY ROOF & "M-F" MOUNT LEGS - 700mm x 1000mm x 170mm	235.00
MFSSL	LARGE POLY ROOF & "M-F" MOUNT LEGS - 1100mm x 1450mm x 320mm	310.00
SSRF	SMALL POLY ROOF & ROPS MOUNT KIT - 700mm x 1000mm x 170mm	235.00
SSRFL	LARGE POLY ROOF & ROPS MOUNT KIT - 1100mm x 1450mm x 320mm	310.00



MFSS



SSRFL



MFCB Carry-All Box

*NEEDS "M-F" QUIK-HITCH MOUNT KIT TO ENABLE MOUNTING

- Mounts via "M-F" Series Quik-Hitch Frame
- 30 kg capacity
- Rust proof
- Handy carry unit for rear of ride-on's

PART NO	DESCRIPTION	RRP (INC GST)
MFCB	POLY CARRY BOX	190.00



TR50 / TR100 Turf Rollers AKRK Aerator Kits

- Strong construction
- No assembly required
- Water fillable
- Moulded poly rollers
- Durable, galvanised handle
- 10mm thick

PART NO	DESCRIPTION	RRP (INC GST)
TR100	TURF ROLLER - 100 LITRES 800 (L) X 450 (D)	190.00
TR50	TURF ROLLER - 50 LITRES 400 (L) X 450 (D)	165.00
TRTM	TURF ROLLER TOW MOUNT KIT	35.00
AKRK	AERATOR KIT - 1 X SPIKE RING / KIT	48.00



- 3 AERATOR KITS REQUIRED FOR 50L ROLLER
- 5 AERATOR KITS REQUIRED FOR 100L ROLLER



AERATOR KITS

50 LITRE AND 100 LITRE



Letterboxes Miscellaneous Products

Letterboxes



Corrugate Hip Roof
CODE (HCO)



Corrugate Gable Roof
CODE (GCO)



Corrugate with Brochure Hole
CODE (CBH)



U.S. Small
CODE (USS)



Slate Gable Roof
CODE (GSL)



Slate with Brochure Hole
CODE (SBH)



Wagon Economy Box
CODE (WEB)



U.S. Large
CODE (USL)



Slate Concave Roof
CODE (SC)




CODE (ST)
Straight Post with Mounting Flanges



CODE (SB)
Straight Post and Brochure Holder



CODE (RD)
Round Post with Brochure Holder



CODE (SMS)
Side Mount Small with Number and Brochure Holder



CODE (SML)
Side Mount Large with Number and Brochure Holder



CODE (SML)
Side Mount Large with Number and Brochure Holder

AVAILABLE COLOURS FOR LETTERBOXES, POSTS & FENCES



Heritage Green



Heritage Red



Cream



White



Black

AVAILABLE SPECIAL EFFECTS



Marble



Sandstone

PART NO	DESCRIPTION	RRP (INC GST)
ST	Straight Post Standard Colour	70.00
STS	Straight Post Special Colour	90.00
SB	Straight/Brochure Post Std Colour	76.00
SBS	Straight/Brochure Post Spec Colour	100.00
RD	Round/Brochure Post Std Colour	100.00
RDS	Round/Brochure Post Spec Colour	130.00
SMS	Sidemount Small Post Std Colour	107.00
SMSS	Sidemount Small Post Spec Colour	140.00
SML	Sidemount Large Post Std Colour	115.00
SMLS	Sidemount Large Post Spec Colour	150.00
HCO	Corrugate Hip Box Std Colour	80.00
HCOS	Corrugate Hip Box Spec Colour	105.00
CS	Concave Slate Box Std Colour	80.00
CSS	Concave Slate Box Spec Colour	105.00
GCO	Corrugate Gable Box Std Colour	80.00
GCOS	Corrugate Gable Box Spec Colour	105.00
GSL	Gable Slate Box Std Colour	80.00
GSLS	Gable Slate Box Spec Colour	105.00
CBH	Corrugate Brochure Box Std Colour	86.00
CBHS	Corrugate Brochure Box Spec Colour	112.00
SBH	Slate Brochure Box Std Colour	86.00
SBHS	Slate Brochure Box Spec Colour	112.00
USS	US Style Small Box Std Colour	80.00
USSS	US Style Small Box Spec Colour	105.00
USL	US Style Large Box Std Colour	97.00
USLS	US Style Large Box Spec Colour	127.00
WEB	Wagon Economy Box Std Colour	46.00
WEBS	Wagon Economy Box Spec Colour	60.00
HEB	Hip Economy Box Std Colour	46.00
HEBS	Hip Economy Box Spec Colour	60.00



DK Dog Kennel

- Large size:- (800L x 700W x 1100H)
- Available in beige & dark green
- UV stabilised
- Weather proof
- Moulded polyethylene
- Washable & hygienic



PART NO	DESCRIPTION	RRP (INC GST)
DK	DOG KENNEL	175.00

GKFK Go-Kart Plastics

- Side Pods
- Impact Resistant
- Huge range of colours
- Nose Cones
- Simple Mounting System
- Nassau's

PART NO	DESCRIPTION	RRP (INC GST)
GKFK	GO-KART FULL KIT	162.00
GKNC	GO-KART NOSE CONE	58.00
GKSP	GO-KART SIDE POD	40.00
GKSN	GO-KART STEERING NASSAU	31.00



PS Poly Scoop

- Hygienic
- Available in green, yellow, blue, red and white
- Food-grade
- No splinters
- Tough, one-piece moulded construction

PART NO	DESCRIPTION	RRP (INC GST)
PS	POLY SCOOP - 2.5 KILOGRAMS	20.00



HBS Poly Storage Box


FEATURES

- Bolt together modules designed for easy installation and additions
- Easy to access
- Large storage space - excellent for bulky items
- Durable rust free polyethylene for long life
- Available in blue, red and white.

OTHER USES

- Brood box for poultry
- Cat home

PART NO	DESCRIPTION	RRP (INC GST)
HBS	STACKABLE HEX BOX SMALL - 200mm (W) x 300mm (L)	25.00
HBL	STACKABLE HEX BOX LARGE - 400mm (W) x 450mm (L)	46.00





Water Storage Solutions



1000 Litres
220 Gallons



1050 Litres
230 Gallons



3000 Litres
660 Gallons



5100 Litre
1130 Gallons



Modular Tank System
1000 Litre Tanks joined with Modular Joiner Kit to Suit Requirements

TANK FEATURES

- Manufactured to comply with the following standards: **AS/NZS4020, AS 2070, AS/NZS 4766**
- Manufactured from UV stabilised polyethylene, tanks are tough and durable and able to withstand the harsh Australian sun
- Tanks do not rust or corrode, are impact resistant and long lasting
- 10Year Warranty
- Guaranteed one-piece tank construction ensures long term structural strength
- Food Grade polyethylene is used giving you fibre, taste and odour free drinking water

ALL TANKS SUPPLIED WITH

- Inlet strainer
- BSP Outlets
- Overflow
- Outlet strainer
- Taps (More than 2000L - 1 1/2" Outlet, 1" Gate Valve)
(Less than 2000L - 3/4" Ball Valve)

TANK STAND FEATURES (To Suit PT1050)


- Strong all galvanised steel
- Fully supports tank
- 500mm High

AVAILABLE COLOURS

- Heritage Green
- Mist Green
- Beige
- Mountain Blue
- Heritage Red
- Light Grey
- River Gum
- Smooth Cream
- Merino
- Wheat

* OTHER COLOURS AVAILABLE ON REQUEST

OVERFLOW/OUTLET POSITION



RAINWATER TANK INSTALLATION GUIDE

- The tank site must be flat and level, the area well compacted and free from any rocks, stones and sharp objects.
- Ensure that the prepared site is at least 600mm larger in diameter than the tank.
- A 75mm (3") base of compacted crusher dust may be used as a tank pad. A reinforced concrete slab is also acceptable and must be greater than the diameter of the tank.
- If a material other than concrete is used, a retaining wall or surround must be provided to prevent erosion.
- The overflow must be piped well clear of the tank to avoid undermining of the tank base.
- Ensure that a flexible hose of at least 300mm (12") is installed after the outlet valve to absorb any shocks or movement.

* NOTE:- FAILURE TO PROPERLY INSTALL TANK AS PER INSTRUCTIONS WILL VOID WARRANTY

PART NO	DESCRIPTION	RRP (INC GST)
PT1000	Poly Rainwater Tank 1000L - 2050mm High x 900mm Diameter	POA
PT1050	Poly Undereave Slimline Tank 1050L - 1560mm High x 750 Wide x 1300mm Long	POA
PT3000	Poly Rainwater Tank 3000L - 2050mm High x 1450mm Diameter	POA
PT5100	Poly Rainwater Tank 5100L - 1930mm High x 1950mm Diameter	POA
PTJK	Modular Tank Joiner Kit - Kit Includes 2 Joiner Tubes & 4 Seals (To suit PT1000 - 1000L Tank)	POA
STS	Tank Stand - 500mm High (To suit PT1050)	POA
PC	Pump Cover - 610mm Long x 520mm Wide x 680mm High	POA




WDDP01 First Flush Water Diverter

First Flush Water Diverters are a critical component of rainwater harvesting systems. By preventing the first, most contaminated water from the roof they:

1. Improve rainwater quality and safety
2. Help extend the life of pumps (used to distribute rainwater for use) and internal appliances (such as hot water systems, washing machines, dishwashers, etc)
3. Reduce tank maintenance

The First Flush Water Diverters are simple to install and operate automatically to help prevent pollution of tank water.




PART NO	DESCRIPTION	RRP (INC GST)
WDDP01	90mm FIRST FLUSH WATER DIVERTER	60.00

LTRA20 RainAid Plastic Float Valve

The RainAid valve is designed to be connected to the mains water supply on a rainwater collection tank. It will provide a backup supply of water in the event household demand exceeds rain supply.

- Simple to install - no electrical supply required
- Ensures constant water supply to pressure system
- Standards approval for mains water connection

PART NO	DESCRIPTION	RRP (INC GST)
LTRA20	RAINAID PLASTIC FLOAT VALVE	148.00



BIA-INOX60PC Bianco Pumpz / BIA-JH400 Bianco Pumpz

BIA-INOX60PC FEATURES

- 600W • 240V • Electronic Control • Flows to 36 l/m
- Heads to 32m • 3 to 4 Taps

BIA-JH400 FEATURES

- 400W • 240V • Plastic Construction • Flows to 125 l/m
- Heads to 8m

PART NO	DESCRIPTION	RRP (INC GST)
BIA-INOX60PC	600W BIANCO PUMPZ	370.00
BIA-JH400	400W BIANCO PUMPZ	180.00



BIA-INOX60PC



BIA-JH400



Water Tanks / Diesel Tanks Storage Boxes

MGS Mudguard / PRVSD Soap Dispenser

MUDGUARD FEATURES

- Roto Moulded Polyethylene
- Size: L x 400mm, W x 260mm
- Rust, rattle and dent proof

PART NO	DESCRIPTION	RRP (INC GST)
MGS	MUDGUARD SINGLE	20.00
PRVSD	SOAP DISPENSER	35.00



MGS



PRVSD

PRV30WB Water Tank / PRV30S Water Tank

PRV30WB - WATER TANK FEATURES

- Wide Body Mudguard Tank
- Size: L x 450mm, W x 270mm, H x 410mm
- Approximate Usable Storage - 29 Litres
- Roto Moulded Polyethylene
- 3/4" and 1/2" Brass Fittings
- Available in Grey and Black

PRV30S - WATER TANK FEATURES

- Slimline Mudguard Tank
- Size: L x 600mm, W x 200mm, H x 400mm
- Approximate Usable Storage - 29 Litres
- Roto Moulded Polyethylene
- 3/4" and 1/2" Brass Fittings
- Available in Grey and Black

PART NO	DESCRIPTION	RRP (INC GST)
PRV30WB	MUDGUARD TANK WIDE BODY	158.00
PRV30S	SLIMLINE MUDGUARD TANK	158.00



PRV30WB



PRV30S

PRV30WBRS-LH Storage Box / PRV30RS-RH Storage Box

PRV30WBRS-LH - STORAGE BOX FEATURES

- 30 Litre Wide Body Storage Box
- Available in Grey and Black
- Size: L x 600mm, W x 250mm, H x 400mm
- Roto Moulded Polyethylene
- Lockable

PRV30RS-RH - STORAGE BOX FEATURES

- Slimline Mudguard Storage Box
- Available in Grey and Black
- Size: L x 600mm, W x 200mm, H x 400mm
- Roto Moulded Polyethylene
- Lockable

PART NO	DESCRIPTION	RRP (INC GST)
PRV30WBRS-RH	WIDE BODY MUDGUARD STORAGE BOX - RIGHT HAND	245.00
PRV30WBRS-LH	WIDE BODY MUDGUARD STORAGE BOX - LEFT HAND	245.00
PRV30RS-RH	SLIMLINE MUDGUARD STORAGE BOX - RIGHT HAND	230.00
PRV30RS-LH	SLIMLINE MUDGUARD STORAGE BOX - LEFT HAND	230.00



PRV30WBRS-LH



PRV30RS-RH



DPRV50 Diesel Tank

- Slimline Tank
- Size: L x 1350mm, W x 100mm, H x 630mm
- Roto Moulded Diesel Grade Yellow Polyethylene
- Approximate Usable Storage - 50 Litres
- 3/4" Brass Outlets
- 2" Inlet Cap
- Mount Kit (Optional)

PART NO	DESCRIPTION	RRP (INC GST)
DPRV50	DIESEL SLIMLINE TANK ONLY	285.00
DPRV50-MK	DIESEL SLIMLINE TANK INC MOUNT KIT ONLY	425.00



DPRV60 Diesel Tank

- Upright Tank
- Roto Moulded Diesel Grade Yellow Polyethylene
- Size: L x 600mm, W x 330mm, H x 530mm
- Approximate Usable Storage - 60 Litres
- 2" Inlet Cap
- 3/4" Brass Outlets
- Mount Kit (Optional)


PART NO	DESCRIPTION	RRP (INC GST)
DPRV60	DIESEL UPRIGHT TANK ONLY	175.00
DPRV60-MK	DIESEL UPRIGHT TANK INC MOUNT KIT	320.00



DPRV80S-MK Diesel Tank

- Slimline Tank
- Size: L x 1080mm, W x 830mm, H x 115mm
- Roto Moulded Diesel Grade Yellow Polyethylene
- Approximate Usable Storage - 80 Litres
- 3/8" Plastic Thread Breather
- 3/4" Brass Outlets
- 1 1/2" Inlet

PART NO	DESCRIPTION	RRP (INC GST)
DPRV80S-MK	DIESEL SLIMLINE TANK INC MOUNT KIT	360.00



PRVDBB Draw Bar Box

- Roto Moulded Polyethylene
- Size: L x 1200mm, W x 600mm, H x 500mm
- Lockable

PART NO	DESCRIPTION	RRP (INC GST)
PRVDBB	DRAW BAR BOX	495.00
PRVDBSWB	DRAW BAR BOX, SPARE WHEEL CUTOUT	510.00





FRECALL 1800 502 267

BUNDABERG AUSTRALIA

17 CHARLIE TRIGGS CRESCENT BUNDABERG QLD 4670

FAX: 07 4153 0900 | EMAIL: sales@enmachind.com.au

WEBSITE: www.enmachind.com.au

YOUR LOCAL DEALER

Enmach Industries